

Refine Search

Search Results -

Terms	Documents
(L10 or L11 or L12) and (automat\$6 same(synchroniz\$ near failure))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L14</u>	(L10 or L11 or L12) and (automat\$6 same(synchroniz\$ near failure))	0	<u>L14</u>
<u>L13</u>	(L10 or L11 or L12) and (synchroniz\$ near failure)	3	<u>L13</u>
<u>L12</u>	(L7 or L8 or L9) and L1	4	<u>L12</u>
<u>L11</u>	L6 and L3	6	<u>L11</u>
<u>L10</u>	L5 and L3	2	<u>L10</u>
<u>L9</u>	709/219.ccls.	3038	<u>L9</u>
<u>L8</u>	709/217.ccls.	3228	<u>L8</u>
<u>L7</u>	709/248.ccls.	541	<u>L7</u>
<u>L6</u>	709/\$.ccls.	36594	<u>L6</u>
<u>L5</u>	707/\$.ccls.	26943	<u>L5</u>
<u>L4</u>	L3 and ((automat\$6 near recovery) same (synchroniz\$ near failure))	0	<u>L4</u>
<u>L3</u>	l2 and ((automat\$6 near recovery) same synchroniz\$)	78	<u>L3</u>
<u>L2</u>	l1 and (automat\$6 near recovery)	90	<u>L2</u>
<u>L1</u>	automat\$6 same recovery same synchroniz\$	769	<u>L1</u>

END OF SEARCH HISTORY

THIS PAGE IS BLANK

Refine Search

Search Results -

Terms	Documents
L3 and ((automat\$6 near recovery) same (synchroniz\$ near failure))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L4</u>	L3 and ((automat\$6 near recovery) same (synchroniz\$ near failure))	0	<u>L4</u>
<u>L3</u>	l2 and ((automat\$6 near recovery) same synchroniz\$)	78	<u>L3</u>
<u>L2</u>	l1 and (automat\$6 near recovery)	90	<u>L2</u>
<u>L1</u>	automat\$6 same recovery same synchroniz\$	769	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and L2	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L11</u>	L9 and L2	0	<u>L11</u>
<u>L10</u>	L9 and L1	0	<u>L10</u>
<u>L9</u>	L8 and synchroniz\$6	28	<u>L9</u>
<u>L8</u>	(effective near action) and database	133	<u>L8</u>
<u>L7</u>	(effective near action) same database	2	<u>L7</u>
<u>L6</u>	effective near action near database	0	<u>L6</u>
<u>L5</u>	"synchronizing states"	751	<u>L5</u>
<u>L4</u>	L1 and L2	0	<u>L4</u>
<u>L3</u>	creat\$ same (action near database) same synchroniz\$6	1	<u>L3</u>
<u>L2</u>	creat\$ same (action near database) same account\$3	15	<u>L2</u>
<u>L1</u>	(updat\$3 or chang\$3) same database same (indicat\$4 near action)	131	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L5 and L8	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L14</u>	L5 and l8	0	<u>L14</u>
<u>L13</u>	L2 and l5	0	<u>L13</u>
<u>L12</u>	709/248.ccls.	541	<u>L12</u>
<u>L11</u>	L9 and L2	0	<u>L11</u>
<u>L10</u>	L9 and L1	0	<u>L10</u>
<u>L9</u>	L8 and synchroniz\$6	28	<u>L9</u>
<u>L8</u>	(effective near action) and database	133	<u>L8</u>
<u>L7</u>	(effective near action) same database	2	<u>L7</u>
<u>L6</u>	effective near action near database	0	<u>L6</u>
<u>L5</u>	"synchronizing states"	751	<u>L5</u>
<u>L4</u>	L1 and L2	0	<u>L4</u>
<u>L3</u>	creat\$ same (action near database) same synchroniz\$6	1	<u>L3</u>
<u>L2</u>	creat\$ same (action near database) same account\$3	15	<u>L2</u>
<u>L1</u>	(updat\$3 or chang\$3) same database same (indicat\$4 near action)	131	<u>L1</u>

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((synchroniz* <near> failure) <and> (effective <near> action))<in>metadata)"
Your search matched 0 of 1164322 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

Indexed by



IEEE Xplore
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((synchroniz* <near> fail*) <and> (action <near> database))<in>metadata)"

Your search matched 1 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((synchroniz* <near> fail*) <and> (action <near> database))<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

- ☐
1. A framework for self-optimizing grids using P2P components
Schintke, F.; Schutt, T.; Reinefeld, A.;
Database and Expert Systems Applications, 2003. Proceedings. 14th International Workshop on
1-5 Sept. 2003 Page(s):689 - 693

[AbstractPlus](#) | Full Text: [PDF\(269 KB\)](#) IEEE CNF

Indexed by

Inspec

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((synchroniz* <near> state) <and> (effective <near> action))<in>metadata)"

Your search matched 4 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((synchroniz* <near> state) <and> (effective <near> action))<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **Impact of workload and system parameters on next generation cluster scheduling mechanisms**
Yanyong Zhang; Sivasubramaniam, A.; Moreira, J.; Franke, H.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 12, Issue 9, Sept. 2001 Page(s):967 - 985
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2448 KB) IEEE JNL
- ☐ 2. **Constructing communication subgraphs and deriving an optimal synchronization interval for distributed environment systems**
Lui, J.C.S.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 13, Issue 5, Sept.-Oct. 2001 Page(s):778 - 792
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(360 KB) IEEE JNL
- ☐ 3. **Methodological issues of real time data acquisition from multiple sources of physiological data**
Vick, R.M.; Ikehara, C.S.;
System Sciences, 2003. Proceedings of the 36th Annual Hawaii International Conference on
6-9 Jan. 2003 Page(s):7 pp.
[AbstractPlus](#) | Full Text: [PDF](#)(697 KB) IEEE CNF
- ☐ 4. **Blind algorithms for joint clock recovery and baseband combining in digital radio**
Guglielmi, F.; Luschi, C.; Spalvieri, A.;
Radio Relay Systems, 1993., Fourth European Conference on
11-14 Oct 1993 Page(s):279 - 286
[AbstractPlus](#) | Full Text: [PDF](#)(412 KB) IEE CNF

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "effective"

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used synchronizing states updating truth database effective action database saving truth database atomic transaction

Found 1 of 155,867

Sort results by

relevance

[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "effective"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used synchronizing states updating truth database effective action database offline previous synchronization atomic transaction

Found 1 of 155,867

Sort results by

relevance



[Save results to a Binder](#)

Display results

expanded form



[Search Tips](#)

☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Synthesis of extended transaction models using ACTA

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "creating"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **synchronizing states** **updating truth database** **creating effective action database atomic transaction**

Found 1 of 155,867

Sort results by

relevance



[Save results to a Binder](#)

Display results

expanded form



[Search Tips](#)

☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "effective"

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used synchronizing states updating truth database effective action database atomic transaction

Found 1 of 155,867

Sort results by

relevance

[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Synthesis of extended transaction models using ACTA

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "plurality device" + "updating truth d:



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **synchronizing states** **plurality device** **updating truth database** **effective action database** **atomic transaction**

Found 1 of 155,867

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Synthesis of extended transaction models using ACTA

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: pdf(2.87 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "plurality device" + "updating truth d:



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **synchronizing states** **plurality device** **updating truth database** **true state data** **effective action database** **atomic transaction**

Found 1 of 155,867

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Synthesis of extended transaction models using ACTA

Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)